





Professional Dosing Information for Infants & Children

Always ask your healthcare professional which product is right for your child.

Your child's weight and age

Note: If possible, use weight to dose, otherwise use age. To arrive at the correct dose, weigh your child before giving MOTRIN[®]. A healthcare professional should be consulted for dosing in children under the age of six months.

| Weight Age | 6-11 lbs | 12-17 lbs | 18-23 lbs | 24-35 lbs | 36-47 lbs | 48-59 lbs | 60-71 lbs | 72-95 lbs | |
|--|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|
| | 0-5 mos | 6-11 mos | 12-23 mos | 2-3 yrs | 4-5 yrs | 6-8 yrs | 9-10 yrs | 11 yrs | |
| Concentrated MOTRIN[®] Infants' Drops Berry & Berry dye-free flavors Active Ingredient: Ibuprofen 50mg (in each 1.25mL) | | | | | | | | | |
| Use only as directed. | | | | | | | | | |
|  | | | | | | | | | |
| Children's MOTRIN[®] Suspension Berry, Grape, Tropical Punch, Bubblegum & Berry dye-free flavors Active Ingredient: Ibuprofen 100mg (in each 5mL or 1 tsp) | | | | | | | | | |
| Use only as directed. | | | | | | | | | |
|  | | | | | | | | | |
| MOTRIN[®] Junior Strength Easy-to-Swallow Caplets Active Ingredient: Ibuprofen 100mg (in each caplet) | | | | | | | | | |
| Use only as directed. | | | | | | | | | |
|  | | | | | | | | | |
| MOTRIN[®] Junior Strength Chewable Tablets Orange & Grape flavors Active Ingredient: Ibuprofen 100mg (in each tablet) | | | | | | | | | |
| Use only as directed. | | | | | | | | | |
|  | | | | | | | | | |

Take every 6-8 hours as needed. Do not exceed more than 4 doses in 24 hours.

Important Instructions for Proper Use

- Read and follow the label instructions on all MOTRIN[®] products
- Take every 6-8 hours as needed
- Do not exceed more than 4 doses in 24 hours
- Do NOT administer longer than 10 days, unless directed by a doctor
- Ask a doctor or pharmacist before use if the child is taking any other drug containing an NSAID (prescription or non-prescription)
- MOTRIN[®] contains ibuprofen

Use only the dosing device that comes with a specific product

- Household items such as measuring spoons are less accurate
- Do NOT administer adult medicines to children
- Concentrated MOTRIN[®] Infants' Drops are more concentrated than Children's MOTRIN[®] Liquids. The Concentrated Infants' Drops have been specifically designed for use with enclosed dosing device
- Children's MOTRIN[®] Liquids are less concentrated than Concentrated MOTRIN[®] Infants' Drops. The Children's MOTRIN[®] Liquids have been specifically designed for use with the enclosed measuring cup
- The OTC dosing: the recommended dose is 7.5mg/kg every 6-8 hours. The recommended daily dose is 30mg/kg
- If you have any questions, contact your healthcare professional or call 1-877-895-3665





Professional Dosing Information for Infants & Children

Always ask your healthcare professional which product is right for your child.

Your child's weight and age

Note: If possible, use weight to dose, otherwise use age. To arrive at the correct dose, weigh your child before giving TYLENOL®. A healthcare professional should be consulted for dosing in children under the age of two years.

| | Weight | | Your child's weight and age | | | | | | | | | |
|--|--|--------|-----------------------------|-----------|--------------------------|--------------------------|--------------------|------------------|---------------------|------------------|---------------|---|
| | Age | Weight | 6-11 lbs | 12-17 lbs | 18-23 lbs | 24-35 lbs | 36-47 lbs | 48-59 lbs | 60-71 lbs | 72-95 lbs | 95 lbs & over | |
|  <p>Use only as directed.</p> | Concentrated TYLENOL® Infants' Drops Cherry, Grape & Cherry dye-free flavors Active Ingredient: Acetaminophen 80mg (in each 0.8mL) | | 0.4mL | 0.8mL | 1.2mL (0.8mL + 0.4mL) | 1.6mL (0.8mL + 0.8mL) | — | — | — | — | — | — |
| | Children's TYLENOL® Suspension Cherry Blast, Very Berry Strawberry, Bubblegum Yum, Grape Splash & Cherry dye-free flavors Active Ingredient: Acetaminophen 160mg (in each 5mL or 1 tsp) | | — | — | — | 1 tsp or 5mL | 1½ tsp or 7.5mL | 2 tsp or 10mL | 2½ tsp or 12.5mL | 3 tsp or 15mL | — | — |
|  <p>Use only as directed.</p> | Children's TYLENOL® Meltaway Tablets Bubblegum Burst, Wacky Watermelon & Grape Punch flavors Active Ingredient: Acetaminophen 80mg (in each tablet) | | — | — | — | 2 tablets | 3 tablets | 4 tablets | 5 tablets | 6 tablets | — | |
| | Jr. TYLENOL® Meltaway Tablets Bubblegum Burst & Grape Punch flavors Active Ingredient: Acetaminophen 160mg (in each tablet) | | — | — | — | — | — | 2 tablets | 2½ tablets | 3 tablets | 4 tablets | |

Take every 4 hours as needed. Do not exceed more than 5 doses in 24 hours.

Important Instructions for Proper Use

- Read and follow the label instructions on all TYLENOL® products
 - Take every 4 hours as needed
 - Do not exceed more than 5 doses in 24 hours
- Do NOT use with any other product containing acetaminophen
- Keep all medicines out of the reach of children
- Do NOT administer adult medicines to children
- Use only the dosing device that comes with a specific product

- Concentrated TYLENOL® Infants' Drops are more concentrated than Children's TYLENOL® Liquids. The Concentrated Infants' Drops have been specifically designed for use with enclosed dropper
- Children's TYLENOL® Liquids are less concentrated than Concentrated TYLENOL® Infants' Drops. The Children's TYLENOL® Liquids have been specifically designed for use with the enclosed measuring cup
- Children's TYLENOL® Meltaway Tablets are not the same concentration as Jr. Strength TYLENOL® Meltaway Tablets. Jr. TYLENOL® Meltaway Tablets contain 160mg of acetaminophen while Children's TYLENOL® Meltaway Tablets contain 80mg of acetaminophen
- If you have any questions, contact your healthcare professional or call 1-877-895-3665